

**Math 221 Winter 2024 (Darij Grinberg): midterm 2**

due date: Sunday 2024-03-03 at 11:59PM on gradescope (

<https://www.gradescope.com/courses/684379> ).Please solve only **3 of the 6 exercises**.**NO collaboration allowed – this is a midterm!**

(But you can still ask me questions.)

Recall that  $\mathbb{N} = \{0, 1, 2, \dots\}$ .

Theorem 3.6.3 shows that if  $p$  is a prime, then all the binomial coefficients  $\binom{p}{i}$  in the  $p$ -th row of Pascal's triangle are divisible by  $p$  (except for the two 1's on the borders of the triangle). The following exercise, in contrast, claims that the binomial coefficients in the  $(p-1)$ -st row are alternatingly congruent to 1 and to  $-1$  modulo  $p$ :

**Exercise 1.** Let  $p$  be a prime. Prove that

$$\binom{p-1}{i} \equiv (-1)^i \pmod{p} \quad \text{for each } i \in \{0, 1, \dots, p-1\}.$$

[Hint: What connects the three binomial coefficients  $\binom{p-1}{i}$ ,  $\binom{p-1}{i-1}$  and  $\binom{p}{i}$  ?]

Here is another divisibility related to prime numbers:

**Exercise 2.** Let  $p$  be a prime larger than 3. Prove that  $p^2 \equiv 1 \pmod{24}$ .

[Hint: Recall some older problems. Also note that the integers 3 and 8 are coprime.]

Now to some counting problems. The symbol “#” means “number”.

To “compute” a number means to find a closed-form expression for this number (with no summation signs) and to prove this formula. I expect proofs to be given at the level of detail and rigor seen in Chapter 4.

**Exercise 3.** Let  $n \geq 2$  be an integer.(a) Compute the # of subsets of  $\{1, 2, \dots, n\}$  that contain both 1 and 2.(b) Compute the # of 3-element subsets of  $\{1, 2, \dots, n\}$  that contain both 1 and 2.**Exercise 4.** Let  $n \in \mathbb{N}$ . Compute the # of all pairs  $(a, b) \in \{1, 2, \dots, n\} \times \{1, 2, \dots, n\}$  satisfying  $a \equiv b \pmod{2}$ .

(The answer will depend on whether  $n$  is even or odd. You can find a unified formula using the floor of a number, but you don't have to.)

**Exercise 5.** Let  $n \in \mathbb{N}$ . Compute the # of all pairs  $(a, b) \in \{1, 2, \dots, n\} \times \{1, 2, \dots, n\}$  satisfying  $2a \leq b$ .

(Again, the answer will depend on whether  $n$  is even or odd.)

Finally, an exercise combining functions with number theory:

**Exercise 6.** For any positive integer  $d$ , let us define the function

$$\begin{aligned} r_d : \mathbb{Z} &\rightarrow \mathbb{Z}, \\ n &\mapsto n \% d \end{aligned}$$


(which sends each integer  $n$  to the remainder of the division of  $n$  by  $d$ ). For example,  $r_5(18) = 18 \% 5 = 3$  and  $r_6(18) = 18 \% 6 = 0$ .

(a) Make a table of the values of the function  $r_2 \circ r_3$  on the inputs  $0, 1, 2, 3, 4, 5$ .

(b) Prove that  $r_2 \circ r_3 \neq r_2$ .

(c) Let  $d$  and  $e$  be two positive integers such that  $d \mid e$ . Prove that  $r_d \circ r_e = r_d$ .

---



Rows corresponding to prime numbers  $n$  are printed in bold. LaTeX/tikz source code courtesy of Caramdir on tex.stackexchange (post #17527).